Approved For Release 2000/05/09 CIASEOR 18 B04560 A002700010013-5

NPIC/R-683/64 August 1964



PHOTOGRAPHIC INTERPRETATION REPORT

TCS-7419/64
Copy 1 4 4
8 Pages

ICBM COMPLEX, ZHANGIZ-TOBE, USSR






Handle Via TALENT - KEYHOLE Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TALENT-KEYHOLE Control System Only

TCS-7419/64 NPIC/R-683/64

ICBM COMPLEX, ZHANGIZ-TOBE, USSR 25X1A

Launch Site A (TDI Site 1) Launch Site B (TDI Site 2) 49-11N 81-00E

49-16N 80-59E



INTRODUCTION

The Zhangiz-Tobe ICBMComplex is located 80.0 and 23.0 nautical miles (nm), respectively, south-southeast of Semipalatinsk and Charskiy (Figure 1). It is in an area of generally flat-tohilly terrain, with a maximum elevation of 2,369 feet. The complex consists of a complex support facility and a possible rail-to-road transfer point, two launch areas (A and B) containing Type IIIC launch sites under construction, and an unidentified area. It is the first deployed ICBM complex to be identified that contains singlesilo launch sites.

revision.

Construction activity was observed at the complex support facility and Launch Area A 25X1D The com-■ 25X1D plex can be negated on photography of The dimensions given for 25X1D elements of the launch sites were obtained during early stages of construction and are subject to

There are no SA-2 SAM sites in the vicinity of the complex.

COMPLEX SUPPORT FACILITY

The complex support facility (49-12N 81-10E) is 1.8 nm west of Zhangiz-Tobe, at the eastern end of the complex. It is served by a spur from the rail line between Semipalatinsk and Alma-Ata, and also has road connections with the highway between the two cities. The facility (Figures 2 and 3) is still under construction, and consists of a probable railhead and storage area, a probable administration and housing area, and a probable housing area. The probable railhead and storage area contains a long and a short rail siding, four completed buildings, and about nine more buildings under construction. To the east of it is the probable administration and housing area containing about 34 buildings which appear to be completed. Eighteen of these buildings, in an area about 1,380 feet long and 940 feet wide, are enclosed by a fence. Ditching is discernible around two sides of the fence. Part of the ditching extends 1,100 feet northeast to an isolated building and some scattered equipment. The probable housing area, containing eight buildings, is north of the probable railhead and storage area.

Construction activity can be observed in an area about 3,000 feet east of the complex support facility. Eight building foundations, the largest 250 by 50 feet, and considerable ditching are identifiable. This activity probably is associated with the complex support facility.

The rail spur serving the complex support facility is still under construction and, on Misterminates just west 25X1D

of the switch to the sidings which serve the probable railhead and storage area. Grading for extension of the spur curves southwest about 4,100 feet beyond the complex support facility and terminates in an area of ground scarring. This is probably the location of a future rail-to-road transfer point.

- 1 -

Handle Via TALENT-KEYHOLE

Control System Only

TCS-7419/64 NPIC/R-683/64

LAUNCH AREA A

Launch Area A consists of a Type IIIC launch site and a site support facility (Figure 4). It is 6.3 nm west-southwest of the complex support facility in a small valley. The launch area was in a very early stage of construction in

The launch site was still in an early stage of construction in

It contains an excavation with two ramps leading into it. The coring for a single silo is under construction within the excavation. An unidentified object is discernible within the silo coring. Seven buildings of various sizes 25X1D

25X1D




FIGURE 1. LOCATION OF COMPLEX.

TALENT-KEYHOLE Control System Only

TCS-7419/64 NPIC/R-683/64




FIGURE 2. COMPLEX SUPPORT FACILITY.

Control System Only

TCS-7419/64 NPIC/R-683/64





FIGURE 3. LAYOUT OF COMPLEX SUPPORT FACILITY.

Control System Only

TCS-7419/64 NPIC/R-683/64



25X1D





FIGURE 4. LAUNCH AREA A.

NPIC J-2840 (8/64)

Control System Only

25X1D

TCS-7419/64 NPIC/R-683/64



25X1D

FIGURE 5. LAUNCH AREA B.

Control System Only

TCS-7419/64 NPIC/R-683/64

and some equipment also can be identified within the site. No security fencing is apparent.

The site support facility is 2,500 feet north of the launch site. It contains only two buildings and several pieces of equipment.

A fenced area, which measures 465 by 330 feet and contains three small unidentified objects, is 2,500 feet west of the launch site. Two other small unidentified objects are outside the fencing. There are areas of ground scarring 1,500 and 4,500 feet northwest of the launch site.

LAUNCH AREA B

25X1D 25X1D

25X1D

launch site and a site support facility (Figure It is 8.2 nm northwest of the complex support facility in a saddle between two hills. The launch area was first observed in

Launch Area B consists of a Type IIIC

The launch site was in an early stage of construction in excavation with two ramps leading into it is

visible within the site. Work appears to have been started on the silo coring within the excavation, which also contains three unidentified objects or pieces of equipment. No security fencing is apparent.

The site support facility is 700 feet south of the launch site. It contains only three buildings. There is considerable ground scarring 1,100 feet northwest of the site support facility.

UNIDENTIFIED AREA

25X1D

An unidentified area (49-11N 81-06E) is 2.8 nm southwest of the complex support facility in a small valley (Figure 6). It was first

1). The area is road served from the complex

support facility, and contains only three buildings. Two small areas of ground scarring, one of which may contain some shallow excavation, are visible 1,000 and 2,100 feet north of the buildings.

Control System Only

TSC-7419/64 NPIC/R-683/64

REFERENCES

PHOTOGRAPHY

25X1D



MAPS OR CHARTS

ACIC. USAF Pilotage Chart, Sheet 239D, 1st ed, Feb 55, scale 1:500,000 (UNCLASSIFIED)

ACIC. ONC E-6, 1st classified ed, Apr 61, scale 1:1,000,000 (CONFIDENTIAL)

REQUIREMENT

UGMC-64 (partial answer)

NPIC PROJECT

N-702/64

Approved For Release 2000/05/09 CIA-F0F78B04560A002700010013-5